

MATERIAL SAFETY DATA SHEET



Tool Coat

1. PRODUCT AND COMPANY NAME

PRODUCT NAME: Tool Coat 805A, 805S, 807A, 807S, 808A, 808S, 810A, 810S, 812A, 812S

DESCRIPTION: Pressure Sensitive TFE Fiberglass Tape/Sheet

MANUFACTURER: Richmond Aircraft Products
12801 Ann Street
Santa Fe Springs, CA 90670

FOR MORE INFORMATION CALL: 562-906-3300
IN CASE OF EMERGENCY CALL: 562-906-3300

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient Name</u>	<u>CAS #</u>	<u>% of Ingredient</u>
Fibrous Glass	(CAS 14808-60-7)	50-95%

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH HAZARDS

Route of Entry: Eye Contact, Skin Contact
Target Organs: N/A
Inhalation: None Known
Skin Contact: Redness and/or rash of the skin
Eye Contact: May cause mechanical irritation if film comes into contact with the eye.
Ingestion: None Known

MATERIAL SAFETY DATA SHEET



4. FIRST AID MEASURES

Inhalation: N/A
Skin Contact: Flush with ample cool water followed by washing with mild soap to remove accumulated fibers.
Eye Contact: Flush with flowing water for 15 minutes and seek medical attention.
Ingestion: N/A

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flash Point (Method Used): >250C (482F)
LEL: N/A
UEL: N/A
Extinguishing Method: Carbon Dioxide, Water, Dry Chemical
Special Fire Fighting Procedures: None Known
Unusual Fire and Explosion Hazards: None Known

6. ACCIDENTAL RELEASE MEASURES

Always wear recommended personal protective equipment. Collect and place in a solid waste container.

7. HANDLING AND STORAGE

Handling Precautions: Use normal personal hygiene and good house keeping. Use adequate material handling equipment.
Storage Requirements: Store in a cool dry place for best shelf life.

MATERIAL SAFETY DATA SHEET



8. EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls: None
Protective Equipment: Use dust mask when cutting material. General eye protection is desirable. Wash hand with soap and warm water after use.
Exposure Guideline/Other:

Fibrous Glass

TLV (ACGIH): 10 mg/m³ of air for fiber diameters of less than 7 microns

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Fabric with colored liner and adhesive backing
Physical Status: Solid
Odor: None
pH: N/A
Vapor Pressure: N/A
Vapor Density: N/A
Boiling Point: N/A
Freezing/Melting Point: 360C (680F)
Solubility: Negligible
Spec. Grav./Density: 2.8

MATERIAL SAFETY DATA SHEET



10. STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	None known
Materials to avoid (Incompatibility):	Strong oxidizing agents
Hazardous Decomposition Products:	Carbon Monoxide, Carbon Dioxide, Acetic Acid, Hydrogen Fluoride, Carbonyl Fluoride.
Hazardous Polymerization:	Will not occur

11. TOXICOLOGICAL INFORMATION

Immediate (Acute) Effects:	Not determined
Delayed (Sub-chronic and chronic) Effects:	None known
Other Data:	None

12. ECOLOGICAL INFORMATION

Material is considered inert and not expected to be biodegradable or toxic.

13. DISPOSAL CONSIDERATIONS

Dispose of in compliance with Federal, state and local government regulations. Usually is considered an inert packaging material that can be recycled or landfilled.

MATERIAL SAFETY DATA SHEET



14. TRANSPORT INFORMATION

US DOT Hazard Class: Not regulated
US DOT ID Number: Not applicable

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

15. REGULATORY INFORMATION

None

16. OTHER INFORMATION

Current Issue Date: 10/05/2010
Previous Issue Date: 03/25/2008