

MATERIAL SAFETY DATA SHEET



Stretch-Vac™ Pro-Rap

1. PRODUCT AND COMPANY NAME

PRODUCT NAME: Pro-Rap, Stretch-Vac™ PR
DESCRIPTION: Copolymer, Medium Temperature Range Bag Film
MANUFACTURER: Richmond Aircraft Products
13503 Pumice Street
Norwalk, CA 90650
FOR MORE INFORMATION CALL: 562-404-2440
IN CASE OF EMERGENCY CALL: 562-404-2440

2. COMPOSITION/INFORMATION ON INGREDIENTS

| <u>Ingredient Name</u> | <u>CAS #</u> | <u>% of Ingredient</u> |
|------------------------|--------------|------------------------|
| Polypropylene | NA | 100% |

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH HAZARDS

Route of Entry: Inhalation, Ingestion, Eye/ Skin Contact
Target Organs: N/A
Skin Contact: The pellets can be abrasive. Molten or heated material can cause serious burns to unprotected skin.
Eye Contact: Particles and fines may cause mechanical irritation
Ingestion: Acute oral doses of 8g/kg fed to rats showed no noticeable toxic effects. Feeding rats and mice aqueous extracts of polypropylene for 15 months produced no noticeable effects.
Inhalation: Nuisance dust can be caused by handling and some operations. Fumes may be generated in operations using heated polypropylene.
OSHA Permissible Exposure Limit: For nuisance dust – 15mg/m³ for total dust and 5mg/m³ for respirable dust.
ACGIH Threshold Limit Value/Time-Weighted Average: For nuisance dust – 10mg/m³ for total dust

MATERIAL SAFETY DATA SHEET



4. FIRST AID MEASURES

Inhalation: Remove person to fresh air. If condition persists, seek medical attention

Skin Contact: Rinse with copious quantities of cool water. If rash or itching persists, seek medical attention

Eye Contact: Rinse with water. Do not rub eye. Seek medical attention

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flash Point (Method Used): Does not apply

LEL: N/A

UEL: N/A

Extinguishing Method: Water Spray, Dry chemical, Foam, Carbon Dioxide, Water Fog

Special Fire Fighting Procedures: Use water spray, dry chemical, foam or carbon dioxide. If possible, water should be applied as a spray from a fogging nozzle since polyethylene is a surface burning material. Note: Individuals should perform only those fire-fighting procedures for which they have been trained.

Unusual Fire and Explosion Hazards: Fire fighters should wear self-contained breathing apparatus in the positive pressure mode with a full-face piece when there is a possibility of exposure to smoke, fumes, or hazardous decomposition products. The application of high velocity water will spread the burning surface layer

MATERIAL SAFETY DATA SHEET



6. ACCIDENTAL RELEASE MEASURES

Material is a solid in roll form. If accidentally released, rewind material back onto roll

7. HANDLING AND STORAGE

Handling Precautions: Use adequate material handling equipment

Storage Requirements: Do not store near heat, open flame, or strong oxidizing materials.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls: Local exhaust should be used over heating operations.
Protective Equipment: Use NIOSH approved respirator if unable to vent air-borne fumes or vapors. The film is not likely to be hazardous by skin contact, but cleansing the skin after use is advisable. Wear gloves if there is a concern. Wear safety glasses that meet applicable ANSI standards.
Exposure Guideline/Other: Wash thoroughly with soap and water after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Tinted plastic film
Physical Status: Solid
Odor: No odor
pH: N/A
Vapor Pressure: N/A
Vapor Density: N/A
Boiling Point: N/A
Freezing/Melting Point: Isotactic 329F-406F
Solubility: None
Spec. Grav./Density: 0.89 - 0.94

MATERIAL SAFETY DATA SHEET



10. STABILITY AND REACTIVITY

| | |
|--|--|
| Stability: | Generally Stable |
| Conditions to avoid: | Attacked by strong oxidizing agents, e.g. hydrogen peroxide |
| Materials to avoid (Incompatibility): | Strong oxidizing agents |
| Hazardous Decomposition Products: | Thermal decomposition products may include C, CO, CO ₂ , H ₂ O, acrolein, formaldehyde, and other organic vapors |
| Hazardous Polymerization: | Will no occur |

11. TOXICOLOGICAL INFORMATION

| | |
|---|----------------|
| Immediate (Acute) Effects: | Not determined |
| Delayed (Sub-chronic and chronic) Effects: | None known |
| Other Data: | None |

12. ECOLOGICAL INFORMATION

. Material is considered inert and not expected to be biodegradable or toxic.

13. DISPOSAL CONSIDERATIONS

Dispose of in compliance with Federal, state and local government regulations. Usually is considered an inert packaging material that can be recycled or landfilled.

14. TRANSPORT INFORMATION

| | |
|-----------------------------|----------------|
| US DOT Hazard Class: | Not regulated |
| US DOT ID Number: | Not applicable |

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

MATERIAL SAFETY DATA SHEET



15. REGULATORY INFORMATION

All raw materials have been certified to comply fully with FDA 21 CFR 177.1520, CONEG Legislation and EPA Regulations for the Protection of Stratospheric Ozone

In accordance with TSCA this product contains the following registered chemicals: NONE

In accordance with SARA Title III, Section 313, this product contains the following chemicals subject to reporting: NONE

16. OTHER INFORMATION

Current Issue Date: 02/19/2008

Previous Issue Date: 02/01/2007