

MATERIAL SAFETY DATA SHEET



Polyester Breather

1. PRODUCT AND COMPANY NAME

PRODUCT NAME: A3000-4, A3000-4 FR, A3000-7, A3000-7 FR, RC3000-10, RC3000-10 FR, RC3000-10A, RC3000-10A FR, RC3000-B, RC3000-B FR, RC3000-20, RC3000-20 FR, RC3000-20A, RC3000-20A FR (Including Level 10 Products)

DESCRIPTION: Stretchable Polyester Bleeder/Breather

MANUFACTURER: Richmond Aircraft Products
13503 Pumice Street
Norwalk, CA 90650

FOR MORE INFORMATION CALL: 562-404-2440

IN CASE OF EMERGENCY CALL: 562-404-2440

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient Name</u>	<u>CAS #</u>	<u>% of Ingredient</u>
Polyethylene Terephthalate Polymer	(CAS 25038-59-9)	N/A
Surface Finish	N/A	<1%

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH HAZARDS

Route of Entry: N/A

Target Organs: N/A

Inhalation: Not a route of exposure under normal usage. Elevated processing temperatures may release irritating vapors.

Skin Contact: Not considered hazardous

Eye Contact: Not considered hazardous. It may cause mechanical irritation if film comes into contact with the eye.

Ingestion: Not a route of exposure. Not considered hazardous.

MATERIAL SAFETY DATA SHEET



4. FIRST AID MEASURES

Inhalation: Remove victim to fresh air. Seek medical attention if condition persists.
Skin Contact: Wash hands with soap and water.
Eye Contact: Flush with warm water for 15 minutes. If irritation persists, contact a physician.
Ingestion: Not a route of exposure.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flash Point (Method Used): N/A

LEL: N/A

UEL: N/A

Extinguishing Method: Dry chemical, carbon dioxide, foam and water

Special Fire Fighting Procedures: Fire fighters should protect themselves from decomposition and combustion products that may include carbon monoxide and other toxic gases.

Unusual Fire and Explosion Hazards: None known

6. ACCIDENTAL RELEASE MEASURES

(Always wear recommended personal protective equipment.) Collect and place in a solid waste container.

7. HANDLING AND STORAGE

Handling Precautions: Use normal personal hygiene and good housekeeping.

Storage Requirements: Store in a cool dry place.

MATERIAL SAFETY DATA SHEET



8. EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls: Adequate ventilation I recommended to maintain finish mist levels below 3 mg/in (8-hour TWA)
Protective Equipment: Chemical resistant, impervious gloves and Safety glasses
Exposure Guideline/Other: None

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White polyester fiber
Physical Status: Solid
Odor: None
pH: N/A
Vapor Pressure: N/A
Vapor Density: N/A
Boiling Point: N/A
Freezing/Melting Point: ~500F
Solubility: Insoluble
Spec. Grav./Density: Unknown

MATERIAL SAFETY DATA SHEET



10. STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	None known
Materials to avoid (Incompatibility):	None known
Hazardous Decomposition Products:	Polyester Staple will burn if exposed to flame. Decomposition products generated from molten polymer may be subject to auto ignition. Combustion products will be comprised of carbon, hydrogen and oxygen. The exact composition will depend on the conditions of combustion.
Hazardous Polymerization:	Will not occur

11. TOXICOLOGICAL INFORMATION

Immediate (Acute) Effects:	None known
Delayed (Sub-chronic and chronic) Effects:	None known
Other Data:	None

12. ECOLOGICAL INFORMATION

Material is considered inert and not expected to be biodegradable or toxic.

13. DISPOSAL CONSIDERATIONS

Dispose of in compliance with Federal, state and local government regulations. Usually is considered an inert packaging material that can be recycled or land filled.

MATERIAL SAFETY DATA SHEET



14. TRANSPORT INFORMATION

US DOT Hazard Class: Not regulated
US DOT ID Number: Not applicable

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

15. REGULATORY INFORMATION

None

16. OTHER INFORMATION

Current Issue Date: 06/19/2009
Previous Issue Date: 11/05/2008