

MATERIAL SAFETY DATA SHEET



200TFP, 200TFNP, 200TFP-1

1. PRODUCT AND COMPANY NAME

PRODUCT NAME: 200TFP, 200TFNP, 200TFP-1

DESCRIPTION: TFE Coated Fiberglass Fabric

MANUFACTURER: Richmond Aircraft Products
13503 Pumice Street
Norwalk, CA 90650

FOR MORE INFORMATION CALL: 562-404-2440

IN CASE OF EMERGENCY CALL: 562-404-2440

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient Name</u>	<u>CAS #</u>	<u>% of Ingredient</u>
Fibrous Glass (Textile Grade)	(CAS 14808-60-7)	N/A
Polytetrafluoroethylene	(CAS 9002-84-0)	N/A

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH HAZARDS

Route of Entry: N/A
Target Organs: N/A
Inhalation: None known
Skin Contact: Not considered hazardous
Eye Contact: None known
Ingestion: None known

MATERIAL SAFETY DATA SHEET



4. FIRST AID MEASURES

Inhalation: N/A
Skin Contact: N/A
Eye Contact: N/A
Ingestion: N/A

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flash Point (Method Used): 250C (TOC)

LEL: N/A

UEL: N/A

Extinguishing Method: Water, carbon dioxide or dry chemical

Special Fire Fighting Procedures: Does not burn without external source of fuel under normal conditions. It will burn in an atmosphere containing an excess of 98% oxygen if an ignition source is present.

Unusual Fire and Explosion Hazards: In extreme fire situation, protection from hydrogen fluoride fumes should be employed.

6. ACCIDENTAL RELEASE MEASURES

(Always wear recommended personal protective equipment.) Collect and place in a solid waste container.

7. HANDLING AND STORAGE

Handling Precautions: Use normal personal hygiene and good house keeping.

Storage Requirements: Store in a cool dry place.

MATERIAL SAFETY DATA SHEET



8. EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls: N/A
Protective Equipment: N/A
Exposure Guideline/Other:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Tan-Brown fabric
Physical Status: Solid
Odor: None
pH: N/A
Vapor Pressure: N/A
Vapor Density: N/A
Boiling Point: N/A
Freezing/Melting Point: >260C (>500F)
Solubility: Negligible
Spec. Grav./Density: 1.6

10. STABILITY AND REACTIVITY

Stability: Stable
Conditions to avoid: Temperatures above 250C (482F)
Materials to avoid (Incompatibility): Strong oxidizing agents
Hazardous Decomposition Products: Hydrogen fluoride, carbon monoxide, carbon dioxide
Hazardous Polymerization: Will not occur

11. TOXICOLOGICAL INFORMATION

Immediate (Acute) Effects: Not determined
Delayed (Sub-chronic and chronic) Effects: None known
Other Data: None

MATERIAL SAFETY DATA SHEET



12. ECOLOGICAL INFORMATION

Material is considered inert and not expected to be biodegradable or toxic.

13. DISPOSAL CONSIDERATIONS

Dispose of in compliance with Federal, state and local government regulations. Usually is considered an inert packaging material that can be recycled or landfilled.

14. TRANSPORT INFORMATION

US DOT Hazard Class: Not regulated
US DOT ID Number: Not applicable

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

15. REGULATORY INFORMATION

None

16. OTHER INFORMATION

Current Issue Date: 12/29/2008
Previous Issue Date: 03/25/2008